

# GENERATING SET GE 14000 SXC/GS EAS



- Engine Diesel - 3000 rpm.
- Air Cooled
- Synchronous Alternator
- Protections: G.F.I.
- Site Tow CTL300 (Optional)
- Super silenced (SX)
- Prepared for connection to automatic transfer unit

Standard equipment ▶											
	Diesel engine	Air cooling	Electric Starter	Battery 12V	Battery charger indicator	Hour counter	Engine protection	Low fuel indicator	Oil pressure indicator	Engine temperature	Central lifting eye
Options on request ▶											
	Asynchronous alternator	Voltmeter/Frequency	Socket 400V EEC	Socket 230V EEC	Ground fault interrupter	Circuit breaker	Start local / Remote Selector *				
	<ul style="list-style-type: none"> <li>● Plug 400V 32A 3PNT (T)</li> <li>● Plug 400V 16A 3PNT (T)</li> <li>● Plug 230V 32A 2PT (M)</li> <li>● Plug 230V 16A 2PT (M)</li> </ul>			<ul style="list-style-type: none"> <li>● Automatic transfer unit EAS17</li> <li>● Remote control TCM22 with cable 10 m</li> <li>● Heater Kit OH4</li> </ul>			<ul style="list-style-type: none"> <li>● Trolley CTM300</li> <li>● Road Tow CTV3</li> <li>● Earthing Kit MT10</li> </ul>				

## Technical data GE 14000 SXC/GS EAS

<b>A.C. GENERATION</b>	<b>50 Hz, synchronous, three-phase, self-excited, self-regulated, brushless</b>
<b>Three-phase generation (stand-by)</b>	15 kVA (12 kW) / 400 V / 21.7 A
<b>Three-phase generation (P.R.P.)</b>	13.5 kVA (10.8 kW) / 400 V / 19.5 A
<b>Single-phase generation</b>	5 kVA / 230 V / 21.7 A
<b>Service</b>	100%
<b>Cos φ</b>	0.8
<b>Insulating class</b>	H
On request other voltages and frequencies (60 Hz)	
<b>ENGINE</b>	<b>Diesel, 4-stroke, air cooled</b>
<b>Type</b>	Ruggerini RD210
<b>Output *</b>	14 kW (19 HP)
<b>Speed</b>	3000 rpm
<b>Displacement</b>	954 cm <sup>3</sup>
<b>Cylindres</b>	2
<b>Fuel consupcion</b>	250 g/kWh
* Maximum output according to ISO 3046/1	
<b>GENERAL SPECIFICATIONS</b>	
<b>Tank capacity</b>	23 l
<b>Running time (Load 75%)</b>	9 h
<b>Protection</b>	IP 23
<b>Dimensions* LxIxh (mm)</b>	1320x790x750
<b>Weight*</b>	315 kg
<b>Noise Level</b>	95 LWA (70 dB(A) - 7 m)
* Dimensions and weight are inclusive of all parts without wheels and towbar	

Values shown are nominal values. For further information please contact the sales department.